



---

## FODOR GROUP OF COMPANIES

---

### INTERNATIONAL BUILDING IMPORTS

THE FODOR GROUP THROUGH ITS PRINCIPALS HAS BEEN CONDUCTING INTERNATIONAL JOINT VENTURES IN MULTIPLE ARENAS AND IMPORTING INTERNATIONAL PRODUCTS FOR THE LAST 25 YEARS. THE FODOR GROUP HAS ESTABLISHED EXPERTISE IN ALL ASPECTS OF INTERNATIONAL BUSINESS, LOGISTICS AND HAS CLOSE IN RELATIONSHIPS WITH PERTINENT PARTIES AND OFFICIALS IN MANY FOREIGN COUNTRIES IN ORDER TO FACILITATE SUCCESSFUL EXPEDITED COMPLETION OF ALL ITS SOURCING AND PROGRAMS.

THE FODOR GROUP PRIDES ITSELF IN ITS ABILITIES TO SOURCE AND DELIVER INTERNATIONAL PRODUCTS THAT EXCEED USA INDUSTRY GRADES AND STANDARDS AT DISCOUNTS TO MARKET PRICES IN THE USA AND CANADA. THE FODOR GROUP, WITH ITS TEAM OF INTERNATIONAL QUALITY CONTROL INSPECTORS, EXAMINE EACH BOARD OR PIECE OF PRODUCT PRIOR TO SHIPMENT TO INSURE THAT ALL PRODUCTS MEET EACH AND EVERY PURCHASE ORDER SPECIFICATION.

THE FODOR GROUP SECURES LONG TERM RELATIONSHIPS WITH ITS PROFESSIONAL INTERNATIONAL MILLS IN ORDER TO PROVIDE CONSISTENT HIGH QUALITY AND CONSISTENT ON TIME MONTHLY DELIVERIES. THE FODOR GROUP BELIEVES ITS EXPERTISE IN CONDUCTING INTERNATIONAL BUSINESS AFFAIRS, DEDICATION AND EFFORTS IN LOCATING ABOVE GRADE PRODUCTS AT DISCOUNT PRICES AND THE EXTRA EXPENSE IT INCURS FOR QUALITY CONTROL ON EACH PIECE OF PRODUCT PRIOR TO SHIPPING IS NOT MATCHED IN INTERNATIONAL IMPORTS.

THE FODOR GROUP OPERATES IN: RUSSIA-LATVIA-ESTONIA-CZECH  
REPUBLIC-TURKEY-ROMANIA-ARGENTINA-BRAZIL-CHINA-VIETNAM-  
INDIA.

## INTERNATIONAL PRODUCT SUMMARY

### I. PRODUCT S4S LUMBER

ANGARA PINE (ORIGIN: SIBERIA RUSSIA- PINUS SIBERICA)

WHITEWOOD/SPRUCE (ORIGIN: RUSSIA- PICEA ALBIES)

RADIATA PINE (ORIGIN: NEW ZEALAND-PINUS RADIATA)

DIMENSION: MADE TO ANY SPECIFICATIONS

THICKNESS:  $\frac{3}{4}$ " 19MM





WIDTH: 4" 89MM / 6" 140MM / 8" 185MM / 10" 235MM

LENGTH: 8' 2440MM / 10' 3050MM / 12' 3660MM

GRADES: 4 FACE CLEAR, 3 FACE CLEAR, C&BETTER, D&BETTER

WE CAN OFFER CLEAR GRADE REGULAR VOLUMES AT DISCOUNT PRICES  
TO LOWER GRADES OF SELECT BOARDS

MOISTURE CONTENT: KILN DRIED TO 9-12% PER REQUEST

4 FC (4 Faces Clear)		
3 FC (3 Faces Clear)		
C&BTR (1knot per meter less than 14mm) Backside 2 Knots per meter less 18mm		
D&BTR (2knots per meter less than 18mm) Backside 3 knots per meter less 20mm		

Photos to show production and packing quality of our S4S:



**II. PRODUCT: PINE STAIR TREAD**

**ANGARA PINE (ORIGIN: SIBERIA RUSSIA- PINUS SIBERICA)**

**RADIATA PINE (ORIGIN: NEW ZEALAND-PINUS RADIATA)**

**DIMENSION: MADE TO ANY SPECIFICATIONS**

**THICKNESS: 1" 26MM \* 11.5" 293MM \* 3' 915MM AND 4' 1220MM**

**MOISTURE CONTENT: KILN DRIED TO 9-12% PER REQUEST**

GRADES		
3 FACES CLEAR GRADE		
CARPET GRADE		

### **III. PRODUCT: PRIMED STAIR STRINGERS AND RISERS**

**ANGARA PINE (ORIGIN: SIBERIA RUSSIA- PINUS SIBERICA)**

**CHINESE FIR (ORIGIN: CHINA)**

**DIMENSION: MADE TO ANY SPECIFICATIONS**

**THICKNESS: 3/4" / 1" / 1 1/4"**

**WIDTHS: 7 3/4" / 8 1/4" / 9 1/4" (OTHER WIDTHS AVAILABLE)**

**LENTHS: 8' 2440MM / 10' 3050MM / 12' 3660MM / 14' 4300MM / 16'  
4900MM / 18' 5500MM / 20' 6100MM**



**GRADES: 3 FACE CLEAR, D&BETTER, COMMONS PER SPECIFICATION**

Let us take the priming step away from your Stair Parts Program. These FJ/EG boards are constructed using our Angara Pine and have exceptional strength. No warping, bowing, or high percent of rejects when looking for 16', 18' or 20' lengths. Our Stringers and Risers have multiple other uses both for interior and exterior application. When strength is not a concern we can supply our lighter weight Fir Product.

#### **IV. PRODUCT: STRAND WOVEN BAMBOO DECKING**

**DIMENSION: MADE TO ANY SPECIFICATIONS**

**THICKNESS:  $\frac{3}{4}$ " 20MM /  $\frac{7}{8}$ " 22MM (OTHER THICKNESS OPTIONS)**

**WIDTHS:  $5\frac{1}{2}$ " 140MM (OTHER WIDTHS AVAILABLE)**

**LENGTHS: 8' 2440MM / 12' 3660MM**

**GREEN ECO CERTIFICATIONS:**

**FSC CERTIFIED BAMBOO**

**CARB 1 Compliant**

**CARB 2 Compliant**

**Made with FSC™-certified bamboo (SCS-COC-000960)**

**- E-0 and CARB Compliant: No added Urea Formaldehyde**



## **V. PRODUCT: SOLID HARDWOOD FLOORING**

**ANY DOMESTIC OR INTERNATIONAL HARDWOOD AVAILABLE**

**THICKNESS:  $\frac{3}{4}$ "**

**WIDTHS: 2" TO 6"**

**LENGTHS: MIXED LENGTHS DEPENDING ON SPECIES**

**TYPE: TONGUE AND GROOVE SOLID OR TONGUE AND GROOVE  
ENGINEERED**

**FINISH: MULTI-LAYER UV CURED / ALUMINUM OXIDE OR CERAMIC  
ANTI-SCRATCH / POLYURETHANE CURED FINISH**







**Sample Photo**  
**Experts in International Pine and Softwoods**



**Sample Photo**  
**Manufacturing Expertise in Pine Finger Jointing and Edge Glued**



**Sample Photo**  
**Professional Quality Control and Packaging for Shipment**



**Sample Photo**  
**Quality and Care in Priming our Stair Parts Program**

